

Welcoming Everyone

The Grand Rapids area strives to be a comfortable and convenient destination for all visitors, including those with special needs. We have been ranked the #2 city in America for people with disabilities, and we are always working to make our systems and services even more accessible.

This guide, produced in conjunction with Disability Advocates of Kent County, outlines the accessibility features at some popular hotels, attractions, eateries and service providers in downtown Grand Rapids. Much of the reporting focuses on the experience of the wheelchair user, but there is also useful information for those with visual, auditory and other needs.

We invite you to use this guide to identify properties that meet your specific needs as you travel around Grand Rapids. We'll update the guide annually to add more reviews of locations across the city – so please, come back and visit us again!

Updated: 06/14/2019

Contents

Attractions.....	5
Calder Plaza.....	6
The DeltaPlex Arena and Conference Center	7
DeVos Place.....	8
Downtown Market Grand Rapids	10
Fed Galleries at KCAD.....	11
Frederik Meijer Gardens & Sculpture Park	12
Gerald R. Ford Presidential Museum	14
Grand Rapids African American Museum & Archives.....	15
Grand Rapids Art Museum.....	16
Grand Rapids Children's Museum.....	17
Grand Rapids Public Museum	18
The Harris Building.....	19
John Ball Zoo	20
Rosa Parks Circle	26
The Ruse Escape Rooms.....	27
The Blue Bridge	28
Urban Institute for Contemporary Arts	29
Breweries and Distilleries.....	30
Atwater Brewery - Grand Rapids	31
City Built Brewing Co.....	32
Creston Brewery	33
Founders Brewing Company	34
Grand Rapids Brewing Company	36
Harmony Hall	37
HopCat - Downtown GR.....	38
Long Road Distillers.....	39
The Mitten Brewing Company	40
Churches	41
Central Reformed Church	42
First Park Congregational Church	44
Fountain Street Church.....	45

Coffee and Specialty Shops.....	46
Ferris Coffee- West Side.....	47
Palatte Coffee & Art.....	48
Hotels.....	49
Amway Grand Plaza, Curio Collection by Hilton.....	50
Best Western Hospitality Hotel & Suites.....	52
Candlewood Suites Grand Rapids Airport.....	54
CityFlatsHotel - Grand Rapids.....	56
Country Inn & Suites Grand Rapids Airport.....	57
Downtown Courtyard by Marriott.....	59
Hampton Inn & Suites Grand Rapids Downtown.....	60
Holiday Inn - Grand Rapids Airport.....	61
Holiday Inn Grand Rapids Downtown.....	62
Homewood Suites by Hilton Grand Rapids Downtown.....	63
JW Marriott Grand Rapids.....	65
SpringHill Suites by Marriott® Grand Rapids Airport.....	66
Other Points of Interest.....	67
Grand Rapids City Hall.....	68
Kilwin's Chocolates & Ice Cream.....	69
Spectrum Health - Butterworth Campus.....	70
The Sweet House.....	71
Warner, Norcross & Judd LLP.....	73
Western Michigan University Downtown GR.....	74
Parks.....	75
Ah-Nab-Awen Park.....	76
Frog Hollow Park.....	78
Garfield Park.....	80
Heartside Park.....	82
Lamar Park & Splashpad.....	83
Roselle Park.....	85
Versluis Park.....	87
Performing Arts.....	88
Dog Story Theatre.....	89

Grand Rapids Ballet.....	90
Grand Rapids Civic Theatre.....	91
Grand Rapids Community College Spectrum Theater	92
The Intersection	94
Opera Grand Rapids.....	95
St. Cecilia Music Center.....	96
The Pyramid Scheme.....	97
Wealthy Theatre	98
Restaurants	99
The B.O.B.....	100

Attractions

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Calder Plaza

351 Ottawa Ave. NW, Grand Rapids, MI 49503

(616) 451-3000

Parking Options

Government Center Ramp at 300 Monroe Avenue NW. — 0.01 miles from the venue.

Fifth Third Ellis Lot, Ottawa Ave. — 0.02 Miles from the venue.

Getting Around the Venue

- The area is accessed by both a set of steps and a ramp up from the sidewalks along Ottawa Avenue NW.
- The City Hall Monroe Avenue entrance has a powered door with a push button.
- The Vandenberg (Calder) Plaza City Hall entrance has a powered door with a push button. Both entrances to the City Hall are flush with the sidewalks.
- There are Men's and Women's multi-user style restrooms present in the Grand Rapids City Hall. These restrooms have at least one accessible stall.
- The Vandenberg (Calder) Plaza is large and level.
- The routes through the Grand Rapids City Hall are wide and level.
- There are elevators that provides access to all floors and connect the Grand Rapids City Hall with the Vandenberg (Calder) Plaza.
- The Grand Rapids City Hall is quiet and well lit.
- There is chair and bench seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

The DeltaPlex Arena and Conference Center

2500 Turner Ave. NW, Grand Rapids, MI 49544

(616) 364-9000

Parking Options

Deltaplex Arena Parking Lot at 2500 Turner Avenue NW. — 0.0 miles from the venue.

Getting Around the Venue

- There are four Main Entrances to the facility. There are no power doors at these Entrances. Each of the entrances has a curb ramp that provides access to the sidewalk from the parking lot surface. The curb ramps at the three Main Southeast Entrances have many large cracks.
- The Men's and Women's multi-user style Restrooms that serve the Hillside Hall and West River Hall are large and have an accessible stall.
- There are two multi-style restrooms in the East Concourse that have accessible stalls. These restrooms are located near the Main Concourse/East Concourse doors. The concourses are very wide and level.
- There are elevators to the second floor.
- The interior spaces have a noticeable echo, and noise levels may become pronounced during peak hours.
- The interior spaces are very well lit.
- Outside of the arena seating, the concourses have limited seating options.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

DeVos Place

303 Monroe Ave. NW, Grand Rapids, MI 49503

(616) 742-6500

Parking Options

The DeVos Place Parking Ramp at 303 Monroe Avenue NW. — 0.00 miles from the venue.

The Government Center Parking Ramp at 300 Monroe Avenue NW. — 0.1 miles from the venue.

5/3 Ellis Parking Lot at 250 Monroe Avenue NW. — 0.2 miles from the venue.

Getting Around the Venue

- The accessible parking spaces in the DeVos Place Parking Ramp are located near the entrance to the venue. The access aisles are narrow and may be difficult to maneuver in.
- The Grand Gallery entrance has a push-button activated powered door.
- The Civic Auditorium entrance has several steps. There is an alternative entrance nearby, around the corner of the Civic Auditorium, that has a push-button activated powered door. The vestibule for this entrance has a ramp with handrails.
- There are several Men's and Women's multi-user style Restrooms available with stalls.

- There is a Family style restroom available on the Second level of the Grand Gallery.
- The Men's multi-user style Restroom at the south end of the River Overlook corridor has the accessible stall located in the center of the space and may be difficult to maneuver into.
- There are several elevators that lead to each of the floors.
- There are escalators in the Grand Gallery. The East escalator leads to the Third floor from the street level, and the West escalator leads to the Second Floor from the street level.
- The Grand Gallery has a set of steps near the entrance. There is a ramp nearby to the side of the Gallery. This ramp has handrails. The interior halls are wide and level.
- The venue is primarily an exhibition hall, and noise levels may be pronounced during high traffic events.
- The interiors are well lit.
- The doors to the Grand Gallery Meeting Rooms are heavy and may be difficult to open.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Downtown Market Grand Rapids

435 Ionia Ave. SW, Grand Rapids, MI 49503

(616) 805-5308

Parking Options

Downtown Market Parking Lot at 435 Ionia Avenue SW. — 0.0 miles from the venue.

Getting Around the Venue

- There are four Main Entrances to the facility. There are power doors with a button at the north entrance near the parking lot.
- The north entrances are located on a large outdoor patio. There is a ramp that provides access to this patio from the parking lot.
- There are large Men's and Women's multi-user style Restrooms on the second floor with accessible stalls. There are no restrooms on the first floor.
- The interior paths are wide and level.
- There is a large elevator to the second floor by the north entrance.
- The interior spaces have a noticeable echo, and noise levels may become pronounced during peak hours.
- The interior spaces are very well lit.
- Table and chair seating as well as bar seating is available near the dining options on the first floor.
- There is abundant table seating on the second floor, with options available on the outdoor second floor balcony.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Fed Galleries at KCAD

17 Pearl St NW, Grand Rapids, MI 49503

(616) 451-2787

Parking Options

Grand Rapids Community College Bostwick Ramp at 143 Bostwick Avenue NE. — 0.2 miles from the venue.

Pearl — Ionia Ramp at 28 Pearl Street NW. — 0.1 miles from the venue.

Getting Around the Venue

- The Pearl Street entrance has a flight of stairs up from the sidewalk, and a slightly steep ramp. This ramp has handrails on both sides of the ramp run.
- The entrance has a powered door with a push button. The button is located in a post in-between sections of the handrail, and may be hard to find initially.
- There is a designated exit only on the Lyon Street side of the facility. This exit has a flight of stairs down to the sidewalk. There is no ramp.
- There are Men's and Women's multi-user style restrooms on each of the four floors. These restrooms have at least one accessible stall.
- The routes through the venue are wide and level.
- There are large elevators that provide access to all four floors.
- The venue is quiet and well lit.
- There is table, bench, and table seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Frederik Meijer Gardens & Sculpture Park

1000 East Beltline Ave. NE, Grand Rapids, MI 49525

(616) 957-1580

Parking Options

Frederik Meijer Gardens parking lot at 1000 E. Beltline NE. — 0.0 miles from the venue.

Getting Around the Venue

- The main entrance is located near the accessible parking spaces.
- There are activated power doors at the main and side entrances.
- The sidewalks at the main entrance are flush with the parking lot surface.
- There are several large Men's and Women's multi-user style Restrooms with accessible stalls available.
- There is a single-user style Restroom present in the main lobby.
- There is a Men's and Women's multi-user style Restroom on the lower level.
- The interior halls are wide and level.
- There is a lowered counter in the lobby.
- There is a large elevator to the lower level near the lobby.
- The facility experiences very high traffic during events, and noise levels may become high during peak hours.

- The interior spaces are very well lit. Chair and bench seating is available throughout the facility.
- There is chair and table seating available in the Taste of the Gardens Café.
- The outdoor paths in the Sculpture Garden are wide.
- There are public multi-user restrooms available in the sculpture park proper, and in the Michigan's Farm Farmhouse.
- The Amphitheater has public restrooms.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Gerald R. Ford Presidential Museum

303 Pearl St. NW, Grand Rapids, MI 49504

(616) 254-0400

Parking Options

Gerald R. Ford Presidential Museum Lot at 303 Pearl Street NW. — 0.00 miles from the venue.

Getting Around the Venue

- The Main entrance has manual doors with door closers.
- The entrance is flush with the sidewalk.
- There is a courtyard and water feature outside the entrance.
- The courtyard connects to the parking lot to the south, and to Ah-Nab-Awen Park to the east. There are no steps along the parking lot side of the courtyard. There are steps along the park side of the courtyard.
- The water feature uses steps as a design feature. Viewing the feature from the north or east, and getting near the main design elements requires using these steps.
- There are Men's and Women's single-user style restrooms with clear floor spaces present on the second floor.
- The routes through the venue are wide and level.
- There is an elevator in the entrance lobby that provides access to all floors.
- The venue is quiet.
- Some of the exhibition areas are dimly lit.
- There is bench seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Grand Rapids African American Museum & Archives

87 Monroe Center St. NW, Grand Rapids, MI 49503

(616) 540-2943

Parking Options

Monroe Center Parking Ramp at 37 Ionia Avenue NW. — 0.08 miles from the venue.

Ottawa — Fulton Parking Ramp at 50 Ottawa Avenue NW. — 0.1 miles from the venue.

Pearl Ionia Parking Ramp at 28 Pearl Street NW. — 0.1 miles from the venue.

Getting Around the Venue

- There is a single-user style restroom available.
- The interior paths are wide and level.
- The venue is quiet and well lit.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Grand Rapids Art Museum

101 Monroe Center NW, Grand Rapids, MI 49503

(616) 831-1000

Parking Options

Ellis Sears Lot at 132 Pearl Street NW. (Enter off Pearl Street NW. or Monroe Center) — 0.08 miles from the venue.

Monroe Center Ramp at 33 Ionia Avenue NW. — 0.02 miles from the venue.

Ottawa — Fulton Ramp at 50 Ottawa Avenue NW. — 0.02 miles from the venue.

Getting Around the Venue

- The Rosa Parks Circle entrance is accessed by a set of stairs and a ramp.
- The ramp has handrails along both sides of the ramp run.
- The entrance has a powered door with a push button.
- There are Men's and Women's multi-user style restrooms present. These restrooms have at least one accessible stall.
- The Rosa Parks Circle entrance Lobby has two levels. There are a set of steps and a ramp that provides access between the levels. The ramp is to the side of the Lobby and may be hard to find.
- The routes through the venue are wide and level.
- There are elevators present that provide access to all floors.
- The venue is well lit.
- There is chair and bench seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Grand Rapids Children's Museum

11 Sheldon Ave. NE, Grand Rapids, MI 49503

(616) 235-4726

Parking Options

Ellis Parking Lot at 9 Library Avenue NE. — 0.08 miles from the venue.

The Gallery Parking Ramp at 10 Commerce Avenue SW. — 0.1 miles from the venue.

Getting Around the Venue

- The main entrance along Sheldon Avenue has push-button activated powered doors, and is flush with the sidewalk.
- There are Men's and Women's multi-user style Restrooms available with accessible stalls. There is also a Family style Restroom.
- The paths through the exhibits are wide and level.
- The interior spaces are very well lit.
- Bench seating is available.
- Sensory kits are available. Inquire at the ticket counter.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Grand Rapids Public Museum

272 Pearl St. NW, Grand Rapids, MI 49504

(616) 929-1700

Parking Options

Grand Rapids Public Museum Parking Ramp at 59 Front Avenue NW. — 0.1 miles from the venue.

Limited handicap parking is available outside the Museum main entrance, under the overhang — 0.0 miles from the venue.

Getting Around the Venue

- The main entrance has push-button activated powered doors, and is flush with the sidewalk.
- There are Men's and Women's multi-user style restrooms available with accessible stalls on each level of the venue.
- The restrooms on the first floor have push-button activated powered doors.
- The paths through the exhibits are wide and level.
- There are elevators that provided access to each level of the venue.
- The interior spaces are very well lit.
- Bench seating is available.
- There are lowered countertops available.
- Sensory kits are available. Inquire at the ticket counter.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

The Harris Building

111 South Division, Grand Rapids, MI 49423

(616) 581-4900

Parking Options

Cherry — Commerce Ramp at 141 Commerce Avenue SW (the public parking entrance is on Cherry Street).— 0.1 miles from the venue.

Getting Around the Venue

- The South Division Avenue entrance has a shallow slope up to a heavy manual door.
- The door is flush with the sidewalk.
- The Ballroom Floor: The area can only be accessed by elevator.
- There area is well lit.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

John Ball Zoo

1300 W. Fulton St., Grand Rapids, MI 49504

(616) 336-4301

Parking Options

John Ball Park Zoo West Parking Lot at 1300 Fulton W. — 0.0 miles from the venue. John Ball Park Zoo East Parking Lot at 1300 Fulton W. — 0.0 miles from the venue.

Getting Around the Venue

- The sidewalks surrounding the property are wide and level.
- The intersections along Valley Avenue do have curb ramps, but lack rumble strips and crosswalk markings.
- The intersection along Butterworth St. SW also has a curb ramp, but lacks rumble strips.
- The west parking lot has designated accessible parking near the main entrance to the park. Not all of the designated accessible parking spaces have an adjacent access aisle.
- The east parking lot has designated accessible parking. These spaces do not have an adjacent access aisle.
- The south parking lot is on grass, and has no designated accessible parking spaces.

- There are few sidewalks that lead from the perimeter of the property to the main gate.
- The driveways may be used, though care should be taken to be aware of vehicular traffic.
- The sidewalks that lead to the interior of the park are located at the John Ball Park Drive entrance, and the West entrance along Fulton Street.
- The tennis courts near the south parking lot entrance are surrounded by grass and do not have a paved accessible route.
- The Pavilion 3 has a very pronounced ridge that runs the entire length of the entrance. This ridge is very steep.
- The pavilion contains public restrooms. The restrooms have small stalls. The pavilion has many picnic table options available. The tables are closely spaced and may restrict access to the restrooms. There is a curb with a single curb ramp at the rear of the pavilion that leads to the pond overlook. Access to this curb ramp may be restricted by the many picnic tables in the pavilion.
- The John Ball Zoo — Main Gate Entrance
 - The Main Gate has several ticket booths. The aisles are wide and level. There are no lowered countertops. The Main Gate entrance has a Men's and Women's multi-user style Restroom available with accessible stalls. There is also a Family style Restroom available.
- The Shaded Grounds:
 - The outdoor food booth has high countertops. There is outdoor bench seating available.
- The Gift Shop:
 - The Gift shop has air conditioning, and is well lit and quiet. Some of the aisles are narrow where the shelves and clothing racks are closely spaced.

- Main Street:
 - There is a path that leads from the Main Gate entrance to the center of the park. This path is located on a long, steep hill. There is a single landing midway up the slope, by the Pelican Pier exhibits. There are handrails present along the slope.
- There is a set of stairs and a large ramp after the Pelican Pier exhibits along the first hill. This ramp has sections of slope that are steep. There are wide landings and handrails present.
- Main Street — The Monkey Island Café:
 - There is outdoor table and chair seating available.
- The interior is accessed by a ramp. The landing at the top of the ramp is small.
- Main Street — The Van Andel Living Shores Aquarium:
 - The entrances and exits have push-button activated powered doors. There are Men's and Women's restrooms available. These are located in a narrow hallway, and opening the door and maneuvering into the Men's restroom may be difficult. The aquarium has air conditioning. The interior is kept dimly lit, and is quiet.
- Main Street — The Frogs:
 - The entrance has push-button activated powered doors. The interior is quiet. The exhibits are located in the walls, and are viewable from multiple heights.
- Main Street — The Whistle Stop:
 - The food shop has only outdoor dining options. There is chair and table seating available. There are lowered countertops present.
- Main Street — Red's Hobby Farm:

- The path down to the children’s interactive zoo is steep. The ramp does not have handrails. The Petting Corral is accessed by a double gate. There is restricted maneuvering clearance between the two gates.
- The Waterfall Trail — Boardwalk:
 - The transitions between the concrete paths and the boardwalk are level. There are benches with companions spaces available along the boardwalk.
- There are benches with companions spaces available along the boardwalk.
- There are many landings available along the boardwalk.
- There are handrails present along the entire boardwalk.
- The Zip Line and Waterfall Overlook are only accessed by stairs.
- The Forrest Trail — Idema Funicular:
 - The railway cars have large clear floor spaces.
- The transition between the station entrances and the railway cars is level.
- The Forrest Trail — Tree Top Outpost:
 - The transitions between the boardwalk sections of the Outpost and the Forrest Trail paths has experienced some erosion, creating a pothole and a raised ledge.
- The Forrest Trail — The Nature Play Zone:
 - The food shop has only outdoor dining options.
- There are two Family style Restrooms available.
- There are table and chair seating options available.
- The Forrest Trail — The Crawford Tigers of the Realm:
 - There are two viewing areas. The Forrest Trail connects the two areas.
- The viewing areas are cooled by overhead fans.

- High Street — North American Exhibits:
 - There are Men’s and Women’s multi-user Restrooms available with accessible stalls.
- The exhibits are located along a winding path on a hill. There are sections of the path that have steep slopes.
- High Street — The South American Exhibits:
 - The South American Boardwalk has a pronounced slope.
- There is a covered dining area along the boardwalk. There are picnic table seating options available
- Easy Street:
 - There are Men’s and Women’s multi-user Restrooms with accessible stalls.
- There is a ramp by the Men’s and Women’s Restrooms that leads to the Bissell’s Lions of Lake Manyara exhibit and the Mokomboso Valley Chimpanzee exhibit. This ramp has a pronounced slope. This ramp has handrails.
- Easy Street — The Mokomboso Valley Building:
 - There is a slope that leads from the Africa Exhibit entrance to the Mokomboso Valley facility. This slope has a pronounced incline.
 - The Mokomboso Valley interior is air conditioned.
- Easy Street — The Bissell Lions of Lake Manyara:
 - The two viewing areas are covered and are cooled by overhead fans. There is a flagstone floor between the two viewing areas. Some sections may be uneven. The Lion Overlook is only accessed by a set of stairs.
- Easy Street — The Lion’s Den:
 - The covered food stand has beverage dispensers on a high counter.
- There are no nearby seating options available.

- Easy Street — Treasures of the Tropics Exhibit:
 - The entrance and exit has push-button activated powered doors. The button is placed several feet away from the door.
- The interior is air conditioned.
- The interior is kept dimly lit, and is quiet.
- Sensory kits are available. Inquire at the ticket counter.
- The entrance by the has path has a pronounced slope. There are handrails present.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Rosa Parks Circle

Monroe Center and Monroe Ave., Grand Rapids, MI 49503

(616) 288-7209

Parking Options

Louis — Campau Parking Ramp at 300 Monroe NW. — 0.02 miles from the venue.

Getting Around the Venue

- The sidewalks along Monroe Avenue and Monroe Center Street are wide and level.
- There are several marked crosswalks that lead across Monroe Avenue and Monroe Center Street. There are curb ramps present at these crosswalks.
- There are Men's and Women's multi-user style restrooms available with accessible stalls.
- The Amphitheater has a gently sloped path up to the covered performance stage. There are tiered platforms that descend from the sidewalk level to the amphitheater pit. These tiers may be used as bench seating, but do not have seat backs.
- The compacted gravel park paths are wide and level.
- There is seasonal table and chair seating options available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

The Ruse Escape Rooms

25 Division Ave. S, Grand Rapids, MI 49503

(616) 214-7799

Parking Options

Weston — Commerce Parking Ramp at 30 Weston Street SW. — 0.01 miles from the venue.

Getting Around the Venue

- There are 2 gender-neutral single-user style restrooms available.
- The interior paths are wide and level.
- The venue is very quiet and well lit.
- There is chair and bench seating available in the lobby, and table and chair seating is available in the waiting room.
- There are three Puzzle Rooms. The rooms have excellent maneuvering clearance. The puzzles are able to be modified so that people with hearing or vision related disabilities may enjoy the programs.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

The Blue Bridge

Blue Footbridge, Grand Rapids, MI 49504

(616) 456-3232

Parking Options

Riverfront Plaza Ramp at 55 Campau Avenue NW. — 0.09 miles from the venue.

Louis-Campau Ramp at 43 Monroe Avenue NW. — 0.1 miles from the venue.

Getting Around the Venue

- The bridge is accessed from 100 Front Street NW, and 55 Campau Avenue NW.
- The sidewalks that connect Front Street with the Blue Bridge, and Campau Avenue are wide, stable and level. The sidewalks on the both ends of the bridge connect with the riverfront boardwalk. The Front Street side of the bridge connects to the boardwalk by steps and a curved ramp. There are no handrails along the ramp run.
- The Campau Avenue side of the bridge connects to the boardwalk by steps and a ramp.
- The ramp has handrails along both sides of the ramp run.
- There are no public restrooms available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Urban Institute for Contemporary Arts

2 West Fulton, Grand Rapids, MI 49503

(616) 454-7000

Parking Options

The Gallery Ramp at 8 Commerce Avenue SW. — 0.01 miles from the venue

Getting Around the Venue

- The Fulton Street entrance has a revolving door, and powered door with push button. The entrance is flush with the sidewalks.
- There are Men's and Women's multi-user style restrooms present on all floors of the venue. These restrooms have at least one accessible stall.
- The routes through the venue are wide and level.
- There is a long ramp that runs along the Fulton Street side of the venue that connects the east and west sections of the facility.
- There is an elevator that provides access to all floors.
- The venue is well lit.
- There is chair, bench and table seating available.

Breweries and Distilleries

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Atwater Brewery - Grand Rapids

201 Michigan St. NW, Grand Rapids, MI 49503

(616) 649-3020

Parking Options

Government Center Parking Ramp at 300 Monroe NW. — 0.1 miles from the venue.

DeVos Place Parking Ramp at 7 Bridge Street NW. — 0.02 miles from venue.

Getting Around the Venue

- The main entrance along Monroe Avenue does not have powered doors, and is flush with the sidewalk. The main entrance door has unusually mounted pull bars, and may be difficult to use.
- There are Men's and Women's multi-user style restrooms available with accessible stalls.
- The interior routes are wide and level
- The venue is primarily a restaurant, and noise levels may be pronounced during peak hours.
- The venue is well lit.
- There is chair and table, and booth seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

City Built Brewing Co.

820 Monroe Ave. NW, Grand Rapids, MI 49503

(616) 805-5755

Parking Options

Parking Metered parking options may be found in the Canal Park Parking Lot at 897 Monroe Avenue NW. — 0.2 miles from the venue

Getting Around the Venue

- There are Men's and Women's multi-user style restrooms available with accessible stalls.
- The dining room paths are very wide and level.
- The venue is primarily a restaurant, and noise levels may be pronounced during peak hours.
- The venue is well lit.
- There are table and chair seating, booth seating, and bar seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Creston Brewery

1504 Plainfield Ave. NE, Grand Rapids, MI 49505

(616) 805-4523

Parking Options

Creston Brewery Parking Lot at 1504 Plainfield NE. — 0.00 miles from the venue.

Getting Around the Venue

- The parking lot does not have designated accessible parking spaces.
- The main entrance along Plainfield Avenue does not have powered doors.
- There is a sloped landing in front of the doors.
- There are Men's and Women's multi-user style Restrooms available with accessible stalls.
- The interior routes are wide and level.
- The venue is primarily a restaurant, and noise levels may be pronounced during peak hours.
- The outdoor dining patio entrance has a step and the main entrance must be used to access the space.
- The venue is well lit.
- There is chair and table, and booth seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Founders Brewing Company

235 Grandville Ave. SW, Grand Rapids, MI 49503

(616) 776-1195

Parking Options

Founder's Brewing Co. Lot at 267 Goodrich Street SW. — 0.02 miles from the venue.

DASH Area 6 Lot at 164 Goodrich Street SW. — 0.12 miles from the venue

Getting Around the Venue

- The Grandville Avenue entrance has a set of stairs and a ramp up to the restaurant level from the sidewalk. There are handrails along the both sides of the stairs and ramp. This entrance has manual doors with door closers.
- The Company Store entrance has a set of stairs up from the sidewalk. There is no ramp present at this entrance. This entrance has a manual door with a door closer.
- There are Men's and Women's multi-user style restrooms present.
- The routes through the indoor dining room and Company Store are wide and level.
- The routes through the porch and outdoor dining room along Grandville Avenue are wide and level.
- There are steps down from the porch to the outdoor dining room floor.

- There is a narrow ramp at the south end of the porch that leads down to the outdoor dining room floor.
- The ramp is out of general sight and may be difficult to find.
- There is an elevator present.
- There is bar, table, and bench seating available.
- The venue may be noisy during busy hours.
- The Founder's Brewing Co. Parking Lot does not have designated accessible parking spaces.
- The lot surface is uneven and damaged in places near where the pavement transitions into the sidewalks.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Grand Rapids Brewing Company

1 Ionia Ave. SW, Grand Rapids, MI 49503

(616) 458-7000

Parking Options

Fulton & Ottawa Parking Ramp at 32 Ottawa Avenue NW. — 0.08 miles from the venue.

Getting Around the Venue

- The main entrance at the corner of Fulton Street and Ionia Avenue has a step. There is an alternative entrance along Fulton Street on the north side of the building that is flush with the sidewalk. There is a ramp inside this entrance.
- There are Men's and Women's multi-user style restrooms available with accessible stalls.
- The paths through the dining room are wide and level.
- The venue is primarily a restaurant, and noise levels may be pronounced during peak hours.
- The interior spaces are very well lit. Table and chair seating, bar seating, and booth seating is available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Harmony Hall

401 Stocking Ave. NW, Grand Rapids, MI 49504

(616) 233-9186

Parking Options

Harmony Hall Parking Lot at 401 Stocking Ave NW. — 0.0 miles from the venue.

Getting Around the Venue

- The main entrance does not currently have powered doors, and is flush with the sidewalk.
- The venue does business primarily on the second floor.
- There is an elevator to the second floor near the rear of the venue.
- There is a staff call system present near the main entrance. This alerts staff on the second floor should assistance be needed in finding the elevator.
- There is a ramp that leads up to the elevator.
- The Men's and Women's multi-user style restrooms on the second floor have an accessible stall.
- The halls and paths through the dining room are wide and level.
- The venue is primarily a restaurant, and noise levels may be pronounced during peak hours.
- The interior is well lit.
- There is table and chair seating, and booth seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

HopCat - Downtown GR

25 Ionia Ave. SW, Grand Rapids, MI 49503

(616) 451-4677

Parking Options

Fulton & Ottawa Parking Ramp at 32 Ottawa Avenue NW. — 0.1 miles from the venue.

Area 2 Parking Lot at 99 Oakes Street SW. — 0.2 miles from the venue.

Getting Around the Venue

- The main entrance at the corner of Ionia Avenue & Weston Street has a step. There is an alternative entrance along Weston Street on the south side of the building, and is accessed from the outdoor dining patio.
- There is a wide gate separating the patio and the sidewalks. This alternative entrance is flush with the sidewalk.
- There are Men's and Women's multi-user style restrooms available with accessible stalls.
- The venue is primarily a restaurant, and noise levels may be pronounced during peak hours.
- The interior is well lit.
- There is chair and table, and booth seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Long Road Distillers

537 Leonard St. NW, Grand Rapids, MI 49504

(616) 228-4924

Parking Options

Long Road Distillers Lot at 537 Leonard Street NW. — 0.3 miles from the venue.

Getting Around the Venue

- The Leonard Street entrance has a stoop up from the sidewalk.
- The Quarry Avenue entrance has a ramp up from the sidewalk. There are no handrails along the wall side of the ramp, and the handrails on the opposite side of the ramp extend from the top landing of the ramp to the center of the ramp run. Both entrances have manual doors with door closers.
- The routes through the center of the dining room is wide, though there is a set of pillars supporting the ceiling that run down the center of the path. The routes between the tables in the dining room are narrow.
- The second floor is accessed by a set of stairs.
- There is no elevator present.
- There is bar, table, and booth seating available

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

The Mitten Brewing Company

527 Leonard St. NW, Grand Rapids, MI 49504

(616) 608-5612

Parking Options

The Mitten Brewing Company Parking Lot at 527 Leonard Street NW. — 0.0 miles from the venue.

Getting Around the Venue

- There are steps at the main entrance of the venue. The parking lot entrance has a short ramp.
- There are two floors. The upper level is only accessed by a set of stairs. There is no elevator available.
- There are Men's and Women's multi-user style restrooms available with accessible stalls. Stairs are required to get to the restrooms.
- The routes are level.
- The venue is primarily a restaurant, and noise levels may be pronounced during peak hours.
- There is an outdoor dining patio that is accessed from the indoor dining room.
- The venue is well lit.
- There is chair and table, and bar seating available.

Churches

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Central Reformed Church

10 College Ave. NE, Grand Rapids, MI 49503

(616) 456-1773

Parking Options

Central Reformed Church Lot at 10 College Avenue NE. — 0.00 miles from the venue.

Getting Around the Venue

- The Office entrance has a manual door with a door closer. The entrance is flush with the sidewalk.
- The two Atrium entrances have powered doors with push buttons. The entrances are flush with the sidewalks. The sidewalks are sloped up to the entrances. There are no handrails along the sides of the slope.
- The Sanctuary entrance has steps up from the sidewalk.
- There are Men's and Women's multi-user style restrooms present. These restrooms have at least one accessible stall.
- The Men's restroom is located in a short narrow hall and turning to get through the restroom door may be difficult.
- The routes through the Offices, the Atrium, and the Sanctuary are wide and level. There is an elevator in the Atrium that provides access to the basement and first floors.
- The venue is well lit and quiet.

More visitor information at ExperienceGR.com/Accessibility

- There is chair and bench seating available.
- There is designated accessible parking available near the Atrium and Office entrances.
- The surfaces of the accessible parking spaces have a significant slope.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

First Park Congregational Church

10 E. Park Pl. NE, Grand Rapids, MI 49503

(616) 459-3203

Parking Options

Library and Ransom Lot — 0.01 miles from the venue.

Getting Around the Venue

- The South entrance has a proximity-activated sliding power door. The Ransom Street entrance does not have a powered door. Both entrances are flush with the sidewalks.
- The Library Street and East Park Place Street entrances have stoops. These entrances have heavy manual doors.
- There is a Men's and Women's multi-user style restrooms present.
- The Women's multi-user style restroom has an accessible stall.
- The Men's multi-user style restroom does not.
- There is a Unisex single-user style restroom with a clear floor space by the Merriam Hall.
- The routes through the venue are wide and level.
- There are elevators present that provide access to the second and first floors.
- There is bench, chair and table seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Fountain Street Church

24 Fountain St. NE, Grand Rapids, MI 49503

(616) 459-8386

Parking Options

Grand Rapids Community College Bostwick Ramp at 143 Bostwick Avenue NE. — 0.01 miles from the venue.

Library and Ransom Lot — 0.2 miles from the venue.

Getting Around the Venue

- The Fountain Street entrance to the Sanctuary has a set of steps up from the sidewalk. The entrance to the Sanctuary is flush with the sidewalk.
- The Church Office entrance is accessed by both a set of steps and an access ramp. These entrances have manual doors with door closers.
- There is a family-style restroom present in the Church Office wing.
- The routes through the venue are wide and level.
- The only interior route from the Sanctuary to the Church Office wing has a set of steps. There is no access ramp along this route.
- There is an elevator present.
- The Mezzanine is accessed by both a stairway and elevators.
- There is chair and bench seating available.

Coffee and Specialty Shops

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Ferris Coffee- West Side

227 Winter Ave. NW, Grand Rapids, MI 49504

(616) 459-6257

Parking Options

Ferris Nut & Coffee Company Parking Lot at 218 Winter Avenue NW.— 0.00 miles from the venue.

Getting Around the Venue

- There are Men's and Women's multi-user style restrooms available with accessible stalls.
- The interior paths are wide and level.
- The venue is primarily a restaurant, and noise levels may be pronounced during peak hours.
- The venue is well lit.
- There is chair and table, and booth seating available, and there is table and chair seating available in the outdoor dining patio.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Palatte Coffee & Art

150 E. Fulton St, Grand Rapids, MI 49503

(616) 802-2626

Parking Options

Library and Ransom Lot — 0.05 miles from the venue. Grand Rapids Community College DeVos Campus Ramp at 432 Fountain Street NE. — 0.08 miles from the venue.

Getting Around the Venue

- The Fulton Street entrance has a shallow slope up from the sidewalk.
- The entrance has a manual door. The entrance is located in a small alcove and maneuvering around the space may be difficult.
- There is a Unisex single-user style restroom with a clear floor space present.
- The tables are placed close together and maneuvering dining room may be difficult.
- The venue is well lit.
- There is chair and table seating available.

Hotels

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Amway Grand Plaza, Curio Collection by Hilton

187 Monroe Ave. NW, Grand Rapids, MI 49503

(616) 774-2000

Parking Options

Amway Grand Plaza Parking Ramp at 216 Pearl Street NW. — 0.02 miles from the venue.

Louis — Campau Parking Ramp at 43 Monroe Avenue NW. — 0.04 miles from the venue.

Ellis Parking Ramp at 148 Lyon Street NW. — 0.04 miles from the venue.

This hotel offers a valet parking option. Valet is located at Pearl St. NW entrance.

Getting Around the Venue

- The Pearl Street entrance has proximity-activated sliding power doors. The Monroe Avenue entrance has a push-button activated powered door. Both entrances are flush with the sidewalk surface.
- The Pearl Street entrance has a porte-cochere.
- There are several Men's and Women's multi-user style restrooms available.
- There restrooms in the Old Pantlind Hotel wing of the facility have narrow stalls or have limited maneuvering clearances.
- There are restrooms with accessible stalls on the second floor in the Plaza Towers wing.
- The interior halls are wide and level.

- There are several banks of elevators to the second floor.
- The facility experiences very high traffic during events, and noise levels may be pronounced during peak hours.
- The interior spaces are very well lit.
- Chair and bench seating is available throughout the facility.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Best Western Hospitality Hotel & Suites

5500 28th St. SE, Grand Rapids, MI 49512

(616) 949-8400

Parking Options

Best Western Hospitality Inn & Suites Parking Lot at 5500 28th Street NE. — 0.0 miles from the venue.

Getting Around the Venue

- There are designated access parking spaces present near the main entrance. There is a single sign centered between the two parking spaces. There is a protruding curb ramp in the access aisle that takes up a significant amount of space. There are additional designated accessible spaces on the east side of the facility.
- The main entrance has proximity-activated sliding powered doors.
- The main entrance has a steep slope in front of the powered doors.
- The main lobby does not have a lowered check-in counter.
- The main lobby men's and women's multi-user restrooms have ambulatory stalls available. There are no full sized accessible stalls present. The men's room stall only has grab bars on one side of the toilet.
- There is an elevator present.
- There is a facility wheelchair available for guests.

- There are accessible rooms in two styles available. One style has a bathroom with a tub equipped with grab bars. The grab bars are mounted very low. The second style has bathroom with a roll-in shower. There is a shower chair present that may be used in the roll-in shower.
- The second floor dining room has table and chair seating available.
- There is sofa and chair seating with companion spaces available in the lobby sitting area.
- The spaces are well lit and quiet.
- There is a guest office available with lowered countertops and roll-under clearance.
- The pool and hot tub have powered chair lifts available.
- The pool room shower is very small.
- There are three large conference rooms available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Candlewood Suites Grand Rapids Airport

5401 28th Street Ct. SE, Grand Rapids, MI 49546

(616) 940-8100

Parking Options

Grand Suites—Candlewood Suites Parking Lot at 5401 28th Street Court SE. — 0.0 miles from the venue.

Getting Around the Venue

- The Parking Lot has designated accessible parking spaces with an adjacent access aisle available. All of these are designated as "Van-Accessible".
- The Main Entrance has proximity-activated sliding power doors.
- The sidewalk in front of the entrance is flush with the pavement.
- The Check-in Kiosk has lowered counters.
- The Business Center has computers available. The counters are high.
- There are Men's and Women's single-user style restrooms present near to the Lobby.
- There are several styles of accessible rooms available.
- There are units with roll-in showers, units with combination shower/tubs, and units with hearing assistance technology. These units may be found on all four floors.
- The hearing assisted rooms do not have accessible bathrooms.

- There is a suite with roll in showers in one unit and hearing assistance in the other.
- The non-hearing assisted rooms have remote-operated powered window shades. The spaces are well-lit and quiet.
- There is sofa and chair and table seating available in the Lobby and Breakfast Area.
- There is a gated patio just outside the Breakfast Area.
- There is chair and table seating available.
- There is a pool with chairlift available.
- There are showers with pull-chains present located by the pool.
- There is a Fitness Center available. The routes between the equipment are wide and level.
- There is a guest laundry room available.
- The operative controls for the washer and dryer are on the front of the device at waist level.
- There are elevators available.
- Each of the floors have a different color scheme.
- All hotel rooms have signage with raised, contrasting text with braille.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

CityFlatsHotel - Grand Rapids

83 Monroe Center NW, Grand Rapids, MI 49503

(616) 451-1892

Parking Options

Monroe Center Parking Ramp at 37 Ionia Avenue NW. — 0.02 miles from the venue.

Getting Around the Venue

- The main entrance has a slight slope up from the sidewalk. The main entrance has a push-button activated turn-style powered door. There is an adjacent non-powered swing door that is designated as the accessible entrance.
- There are Men's and Women's multi-user style Restrooms with accessible stalls available on the basement level.
- There is an elevator that leads to all levels.
- The interior halls are wide and level.
- The venue is quiet and well lit.
- There is table and chair seating available in the lobby.
- There are rooms with bathrooms that provide grab bars in the showers and around the toilets.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Country Inn & Suites Grand Rapids Airport

5399 28th St. SE, Grand Rapids, MI 49512

(616) 977-0909

Parking Options

Country Inn & Suites by Radisson Parking Lot at 5399 28th Street Court SE. — 0.0 miles from the venue.

Getting Around the Venue

- The Parking Lot has designated accessible parking spaces with adjacent access aisles available.
- There are two "Van-Accessible" parking spaces available, but are not marked as such.
- The Main Entrance has proximity-activated powered sliding doors.
- There are Men's and Women's multi-user style restrooms with accessible stalls available.
- There is an elevator available.
- The cabin interior space is restricted.
- The Lobby has sofa and table seating available.
- The Lobby Dining Area has booth and table seating available.
- The Coffee Bar counter is high.

- There are couple styles of accessible rooms available. There are units with roll-in showers, and units with combination shower/tubs with seats available.
- All the accessible rooms have devices that assist in operating the window shades.
- The Indoor Pool has a chairlift available.
- The adjacent hot-tub also has a chairlift available.
- There is an outdoor dining area.
- There is table and chair seating available.
- There is a Gymnasium available.
- The routes between the equipment are wide and level.
- The spaces are well-lit and quiet.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Downtown Courtyard by Marriott

11 Monroe Ave. NW, Grand Rapids, MI 49503

(616) 242-6000

Parking Options

Louis — Campau Ramp at 43 Monroe Avenue NW. — 0.02 miles from the venue.

Ottawa — Fulton Ramp at 50 Ottawa Avenue NW. — 0.2 miles from the venue.

This hotel offers a valet parking option.

Getting Around the Venue

- The Monroe Avenue entrance has a proximity-activated sliding power door. This entrance is flush with the sidewalks.
- There are Men's and Women's multi-user style restrooms present. These restrooms have at least one accessible stall.
- The routes through the venue are wide and level.
- There are elevators present.
- There is chair and sofa seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Hampton Inn & Suites Grand Rapids Downtown

433 Dudley Place NE, Grand Rapids, MI 49503

(616) 456-2000

Parking Options

Hampton Inn & Suites Parking Ramp at 433 Dudley Plaza NE. — 0.2 miles from the venue.

Getting Around the Venue

- The main entrance has proximity activated powered doors.
- There are several Men's and Women's multi-user style restrooms available with accessible stalls.
- There is an elevator that leads to all levels.
- The interior halls are wide and level.
- The venue is quiet and well lit.
- There is table and chair, and booth seating available in the lobby.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Holiday Inn - Grand Rapids Airport

3063 Lake Eastbrook Blvd., Grand Rapids, MI 49512

(616) 285-7600

Parking Options

Holiday Inn—Grand Rapids Airport Parking Lot at 3063 Lake Eastbrook Blvd SE. — 0.0 miles from the venue.

Getting Around the Venue

- The Main Entrance has proximity-activated sliding powered doors.
- There are Men's and Women's multi-user style restrooms in the Lobby with accessible stalls available.
- There are accessible rooms available with roll-in showers.
- The pool has a chair lift available.
- The Lobby has a bar with table and chair, and booth seating available.
- The venue is quiet and well-lit.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Holiday Inn Grand Rapids Downtown

310 Pearl St. NW, Grand Rapids, MI 49504

(616) 235-7611

Parking Options

Holiday Inn Grand Rapids Downtown Lot at 310 Pearl Street NW. — 0.00 miles from the venue.

Getting Around the Venue

- The Pearl Street entrance has a proximity activated sliding powered door.
- The entrance is flush with the sidewalk.
- There are Men's and Women's multi-user style restrooms present. These restrooms have at least one accessible stall. The Men's multi-user restroom has a very narrow hallway after entering, with a sharp turn into the restroom area. Maneuvering through this restroom door and hall may be difficult.
- The routes through the venue are clear and level.
- There are elevators present that provide access to all floors.
- There is chair and sofa seating available.
- The venue is quiet and well lit.
- There is designated accessible parking near the Pearl Street entrance.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Homewood Suites by Hilton Grand Rapids Downtown

161 Ottawa Ave. NW, Grand Rapids, MI 49503

(616) 451-2300

Parking Options

Pearl—Ionia Ramp at 28 Pearl NW. — 0.05 miles from the venue.

Ellis Lot at 47 Pearl Street NW. — 0.02 miles from the venue.

Midtown Parking Garage at 119 Pearl Street NW. — 0.03 miles from the venue.

Getting Around the Venue

- The Ottawa Street entrance to the Homewood Suites has a powered door with a push button. The entrance is flush with the sidewalk.
- The Pearl Street entrance to the Homewood Suites has manual double doors with door closers. The entrance is flush with the sidewalk. The only way to reach the main hall from this entrance is by a set of stairs.
- There are Men's and Women's single-user style restrooms with clear floor spaces present on the first floor off the Ottawa Avenue entrance hall.
- There are Men's and Women's multi-user style restrooms present on the second floor. These restrooms have at least one accessible stall.
- The routes through the facility are wide and level. The Hotel is on the second floor, and is accessed by a large stairway in the main hall and elevators.
- The elevators on the south side of main hall lead directly to the Hotel.

- The elevators on the north side of the main hall access business spaces that connect to the Hotel.
- The Homewood Suites section of the venue is quiet and well lit.
- There is table, chair, and sofa seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

JW Marriott Grand Rapids

235 Louis St. NW, Grand Rapids, MI 49503

(616) 242-1500

Parking Options

JW Marriott Parking Garage at 235 Louis — 0.01 miles from venue.

Louis — Campau Ramp at 43 Monroe Avenue NW. — 0.02 miles from the venue.

This hotel offers a valet parking option. Valet is located at Louis entrance.

Getting Around the Venue

- The Louis Street entrance is accessed by a powered revolving door. There is a secondary manual door to the side of the revolving door.
- The Campau Avenue entrance is accessed by a powered revolving door, with a secondary manual door to the side. The entrances are flush with the sidewalks.
- There are Men's and Women's multi-user style restrooms present. These restrooms have at least one large accessible stall.
- There is chair seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

SpringHill Suites by Marriott® Grand Rapids Airport

5250 28th St. SE, Grand Rapids, MI 49512

(616) 464-1130

Parking Options

Springhill Suites Parking Lot at 5250 28th Street SE. — 0.0 miles from the venue.

Getting Around the Venue

- There are designated accessible parking spaces with adjacent access aisles near the Main Entrance available.
- The Main Entrance has proximity-activated sliding powered doors.
- There are Men's and Women's multi-user style restrooms with accessible stalls available in the Lobby.
- There are a couple styles of accessible rooms available .
- There are units with roll-in showers, and units with combination showers/tubs with seats available.
- There is an indoor pool with a chairlift available.
- The adjacent jacuzzi/hot-tub also has a chairlift available.
- The spaces are quiet and well-lit.

Other Points of Interest

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Grand Rapids City Hall

300 Monroe Ave. NW, Grand Rapids, MI 49503

Parking Options

Government Center Ramp at 300 Monroe Avenue NW. — 0.01 miles from the venue.

Fifth Third Ellis Lot, enter off Ottawa — 0.02 Miles from the venue.

Getting Around the Venue

- The outdoor plaza is level and clear of obstructions. The area is accessed by both a set of steps and a ramp up from the sidewalks along Ottawa Avenue NW.
- The City Hall Monroe Avenue entrance has a powered door with a push button. The Vandenberg (Calder) Plaza City Hall entrance has a powered door with a push button. Both entrances to the City Hall are flush with the sidewalks.
- There are Men's and Women's multi-user style restrooms present in the Grand Rapids City Hall. These restrooms have at least one accessible stall.
- The Vandenberg (Calder) Plaza is large and level.
- The routes through the Grand Rapids City Hall are wide and level.
- There are elevators that provides access to all floors and connect the Grand Rapids City Hall with the Vandenberg (Calder) Plaza.
- The Grand Rapids City Hall is quiet and well lit.
- There is chair and bench seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Kilwin's Chocolates & Ice Cream

146 Monroe Center, Grand Rapids, MI 49503

(616) 719-3934

Parking Options

Ellis Sears Lot at 132 Pearl Street NW (Enter off Pearl Street NW. or Monroe Center) — 0.01 miles from the venue.

Pearl — Ionia Ramp at 28 Pearl Street NW. — 0.02 miles from the venue.

Ottawa — Fulton Ramp at 50 Ottawa Avenue NW. — 0.2 miles from the venue.

Getting Around the Venue

- The sidewalks are wide and level.
- There are no public restrooms available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Spectrum Health - Butterworth Campus

100 Michigan NE MC60, Grand Rapids, MI 49503

(616) 391-1774

Parking Options

Grand Rapids Community College Lyon Parking Ramp at Winchester PI NE. — 0.1 miles from the venue.

Getting Around the Venue

- The Crescent Street entrance has a powered revolving door and a manual door with a door closer. The entrance is flush with the sidewalks.
- The Barclay Avenue entrance has proximity-activated sliding powered doors. The entrance is flush with the sidewalks. The Barclay Avenue entrance vestibule has a set of stairs and a ramp up to the main floor from the sidewalk.
- There are handrails along both sides of the stairs and ramp.
- The Michigan Street entrance has a powered revolving door and a manual door with a door closer. The entrance is flush with the sidewalks.
- There are Men's and Women's multi-user style restrooms present. These restrooms have at least one accessible stall. The routes through the venue are wide and level.
- There are elevators near every entrance that provide access to all public levels.
- The venue is quiet and well lit. There is chair, sofa, bench, and table seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

The Sweet House

254 Fulton St E, Grand Rapids, MI 49503

(616) 459-3321

Parking Options

Grand Rapids Community College DeVos Campus Ramp at 432 Fountain Street NE.
— 0.3 miles from the venue.

Getting Around the Venue

- The Fulton Street entrance is up a short set of steps from the sidewalk. The steps have handrails. There is a manual door that opens outward into the small landing at the top of the steps.
- The Basement entrance is located behind the facility. This entrance has manual door. The entrance is flush with the parking lot surface. There is a narrow landing inside the basement entry room with steps that lead down to the basement floor. These steps have handrails.
- There are Men's and Women's single-user style restrooms with clear floor spaces present on the first floor.
- The basement level multi-user style restrooms are up a short flight of stairs, halfway between the first and basement floors and through a narrow hallway. The stalls are small.
- The routes through first floor are wide and level.

- There is a small Limited Use Limited Application elevator present on the basement entry hall landing. The elevator provides access to the basement floor and the first floor.
- The venue is quiet and well lit.
- There is chair, and bench seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Warner, Norcross & Judd LLP

111 Lyon NW, Grand Rapids, MI 49503

Parking Options

Midtown Parking Garage at 130 Lyon Street NW. — 0.08 miles from the venue.

Fifth Third Ellis Lot at 250 Monroe Avenue NW. — 0.02 miles from the venue.

Government Center Ramp at 300 Monroe Avenue NW. — 0.2 miles from the venue.

Getting Around the Venue

- The Monroe Avenue entrance has a revolving door. There is a secondary powered door to the side of the revolving door with a push button. This entrance is flush with the sidewalk.
- The Lyon Street Entrance has a powered door with a push button. The entrance has a flight of steps that lead down to the entry hall. The stairs have handrails.
- There are Men's and Women's multi-user style restrooms present on the first floor. The stalls in the restrooms are narrow. There is also a family style restroom present next to the multi-user style restrooms.
- The routes through first floor are wide and level.
- There are elevators that provide access to the other floors.
- The venue is quiet and well lit.
- There is no seating options available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Western Michigan University Downtown GR

200 Ionia SW, Grand Rapids, MI 49503

Parking Options

Cherry — Commerce Ramp at 141 Commerce Avenue SW (the public parking entrance is on Cherry Street). — 0.02 miles from the venue.

Getting Around the Venue

- The Ionia Avenue entrance has a stoop with manual door with a door closer that opens outward into a narrow landing.
- The Cherry Street entrance has a ramp up from the sidewalk. There is a power door with a push button. The door swings outward into the small triangularly-shaped top landing of the ramp. The top landing has a step down to the sidewalk level. The ramp does not have handrails.
- There are no public restrooms.
- The routes through the venue are wide and level.
- There is an elevator in the entrance hall that provides access to all floors.
- There is a stairway in the entrance hall that provides access to the lower and upper levels.
- The venue is quiet and well lit.
- There is chair, and bench seating available.

Parks

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Ah-Nab-Awen Park

220 Front Ave. NW, Grand Rapids, MI 49504

(616) 456-3696

Parking Options

Gerald R Ford Museum Parking Lot at 203 Pearl Street NW. — 0.0 miles from the venue.

Gerald R Ford Museum Parking Lot at 377 Bridge Street NW. — 0.0 miles from the venue.

Getting Around the Venue

- The parking lot off of Bridge Street is card access only (day time), and does not have designated accessible or van-accessible parking spaces, and has many areas that need maintenance. The curb ramp located at the east end of the parking lot has a short pole that makes moving along the ramp difficult.
- The Pearl Street parking lot has designated parking spaces and is in good repair.
- The designated parking spaces closest to the venue do not have signs to indicate their location.
- There routes are wide and level.
- There is a steep hill present that separates the upper Museum walking path and lower Riverfront walking paths. These paths connect near the north parking lot.

Due to this configuration, the only way to transfer between the upper level and the lower level paths is at this transition. If entering the park from the south parking lot, the full length of the 775-foot long upper Museum path will need to be traversed in order to get to the Riverfront level. The same is true when traveling from the Riverfront path to the South parking lot.

- There are Men's and Women's multi-user style Restrooms available. The designated accessible stalls are narrow and do not have stall doors.
- There is a water feature along the Museum walking path. The waterfall level of the water feature is only accessible by stairs. There are no handrails.
- The stage on the hill area of the park has a ramp and a set of stairs.
- The ramp has a slightly steep slope, and has no handrails.
- There is riverfront overlook present. This large viewing platform does not have handrails and there is a significant drop-off into the river at the ends of the platform.
- There is a covered Pavilion present by the Pearl Street Parking lot. At one end of the structure, there is a short set of steps present that lead down to a sidewalk.
- There is bench and table seating present available in the pavilion and there is bench seating available along the walking paths and the Riverfront overlook. The bench seating on the Riverfront overlook does not have seat backs.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Frog Hollow Park

2050 Metro Court, WYOMING, MI 49519

(616) 530-3164

Parking Options

Frog Hollow Parking Lot at 2050 Metro Court. — 0.0 miles from the venue.

Getting Around the Venue

- There are many designated parking spaces with adjacent access aisles present in the parking lot. None of the designated parking spaces are indicated to be "Van-Accessible".
- There are men's and women's restrooms available.
- The Gazebo has a brick floor which has settled, creating a change in level from the surrounding concrete.
- There are poured in place permeable surfaces present at most of the play elements. The main elevated play element has a transfer platform and a shallow ramp. This transfer platform is on a compressed woodchip surface. The secondary elevated play element has a transfer platform only. This transfer platform is on a poured in place permeable surface.
- There are service animal relief areas available at the entrance to the park.
- The picnic shelter has an accessible picnic table.

- There is an accessible swing set available on a poured in place permeable surface.
- There are bench and chair seating options available by the play areas.
- There are many child-height seating options available around the play elements.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Garfield Park

2111 Madison SE, Grand Rapids, MI 49507

(616) 456-3232

Parking Options

Madison Avenue Parking Lot at 2111 Madison SE. — 0.0 miles from the venue.

Burton Street Parking Lot at 334 Burton Street SE. — 0.0 miles from the venue.

Jefferson Avenue Parking Lot at 2000 Jefferson SE. — 0.0 miles from the venue.

Getting Around the Venue

- There are designated accessible parking spaces with adjacent access aisles in the three parking lots. There are no designated "Van-Accessible" spaces.
- Burton Parking Lot: The routes to the other areas of the park are over grass. There only route to the park is over the sidewalks along Burton Street and Madison Avenue.
- Madison Parking Lot: The paint and decals for the designated accessible parking spaces are faded, and the lot pavement is damaged with may large cracks and potholes.
- Jefferson Parking Lot: The paint and decals for the designated accessible parking spaces are faded, and there are no signs present in front of the spaces. The only route to the other areas of the park is over the sidewalks along Burton Street and Madison Avenue.

- The Jefferson Lot has wide, level routes to the Tennis Courts.
- The Madison Lot has wide, level routes to the Playground.
- The Volleyball pit route from the Burton Lot is over grass.
- There are Men's and Women's restrooms available near the Jefferson Lot, and the Madison Lot.
- The Park Complex and Gazebo has wide level routes from the Madison Lot.
- There is an accessible picnic table present in the Gazebo.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Heartside Park

301 Ionia SW, Grand Rapids, MI 49503

(616) 456-3232

Parking Options

Cherry — Commerce Parking Ramp at 303 Monroe Avenue NW. — 0.2 miles from the venue.

Parking Metered on-street parking options may be found along Ionia Avenue.

Getting Around the Venue

- The sidewalks along Ionia Avenue are wide and level. There are several marked crosswalks that lead across Ionia Avenue. There are curb ramps present at these crosswalks. These curb ramps do not have detectable warning or rumble strips. The park paths connect to the sidewalks.
- The park paths are wide and level.
- There are Men's and Women's multi-user style restrooms available with accessible stalls.
- There is table and chair seating available in the covered Pavilion, and there is bench seating available along the park paths.
- There are basketball courts available. There is a half-court that connects directly with the park paths. The full basketball court does not connect to the park paths, and moving over grass is required.
- The park is adjacent to the US-131, a freeway. Noise levels may be pronounced during high traffic hours.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Lamar Park & Splashpad

2624 Porter St. Sw, Wyoming, MI 49509

(616) 304-4530

Parking Options

Lamar Park Grandstand Parking Lot at Lamar E Drive SW. — 0.0 miles from the venue.

Lamar Park Tennis Court Parking Lot at Lamar E Drive SW. — 0.0 miles from the venue.

Lamar Park North, Pond, & Southwest Parking Lot at Lamar Drive SW. — 0.0 miles from the venue.

Getting Around the Venue

- The Lamar Park Grandstand has designated accessible parking spaces with an adjacent access aisle available. These are "Van-Accessible", but are not marked as such.
- The Lamar Park Grandstand has men's and women's multi-user style restrooms available. There are accessible stalls available.
- There is listening assistance technology available on request.
- The Lamar Park Grandstand has covered accessible seating spaces present in the front row.
- The route to the dugout is over grass and gravel.
- The Lamar Grand Stand Playground is on compressed woodchips.
- There is a ramp to the second level of the play element.

- There is an accessible swing set present.
- The Lamar Field South routes from the grandstand parking are over grass.
- There is a bench on grass.
- There is Tennis Court parking lot has designated accessible parking with access aisles available. These are "Van-Accessible", but are not marked as such. The Lamar Park Tennis Court routes from the parking lot are compressed woodchips. The bleachers and picnic tables are on grass. There is an accessible gate entrance to the tennis courts, but these are kept locked.
- The North Parking Lot has designated accessible parking with access aisles available.
- The Lamar Field North routes from the north parking lot are over grass. There is a bench on grass. The North Playground is on compressed woodchips. There is a transfer platform present. There is picnic table seating on grass.
- There is a splash pad available. There is bench and picnic table seating with companion spaces available.
- There are men's and women's multi-user style restrooms with accessible stalls available, by the splash pad.
- The Lamar Park Gazebo has picnic table seating available.
- The Basketball Courts picnic tables are on grass.
- The Pond Parking Lot has designated accessible parking with adjacent access aisles available. The pond picnic areas are on grass.
- The Volleyball sand pit route from the parking lot is over grass.
- There are no fixed seating options available.
- The Southwest Parking Lot does not have designated accessible parking spaces.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Roselle Park

1010 Grand River Dr NE, Ada, MI 49301

Parking Options

Roselle North Parking Lot at 1010 Grand River Drive NW. — 0.0 miles from the venue.

Roselle South Parking Lot at 1010 Grand River Drive NW.— 0.0 miles from the venue.

Getting Around the Venue

- There are designated accessible parking spaces with adjacent access aisles in both parking lots.
- The Resource Building has men’s and women’s multi-user style restrooms available.
- The Silo Playground has picnic table and bench seating options available. These are located on grass or compressed woodchips away from pavement. The Silo overlook is accessed by stairs. The sidewalks are concrete.
- The park is primarily a seasonal wetland preserve, and park experience may change depending on the time of year.
- There are asphalt paths and unpaved ski trails present.
- There are periodic surface cracks in the asphalt paths through the park wetland areas. There is signage installed periodically along the asphalt paths through the park wetland area that provide a map of the trails. These signs are on grass and are located away from the asphalt paths.

- The Maxwell Warrin Troop bench and message board along the asphalt paths in the north wetlands area is on grass, and is located away from the paved path.
- There are mile markers placed along the asphalt paths through the park wetland area. These markers are bold and contrasting. There are dog clean-up stations with waste disposal receptacles provided along the asphalt paths through the park wetland areas. These stations are on grass and are located away from the asphalt paths.
- There are benches provided along select sections of the asphalt paths through the park wetland paths. Several of these benches are on grass and do not have companion spaces, and are located away from the asphalt paths. There is significant distance between each bench location.
- There are several overlook areas present: The south wetlands overlook has two levels. The upper level is accessed by stairs, and there is a bench provided. The lower level has a ramp and there is no bench provided.
- The Wetland Boardwalk overlook has a shallow ramp up to the viewing area. There is a bench with companion space provided.
- The river overlook has high rails. There are seasonal portable toilets provided by the river overlook.
- The canoe launch is a significant distance from the parking lots.
- The slope of the launch is steep near the middle of the ramp. The slope surface is sand and grass.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Versluis Park

3650 Versluis Park Drive NE, Grand Rapids, MI 49525

Parking Options

Versluis Parking Lot at 3650 Versluis Park NE. — 0.0 miles from the venue.

Getting Around the Venue

- There are many designated parking spaces present in the parking lot. Many of these spaces do not have an adjacent access aisle. Only one of the many "Van-Accessible" parking spaces are marked as such.
- The walking trails are asphalt. There are periodic surface cracks and places where the surface is uplifting along the asphalt paths.
- The Versluis Playground is on compressed woodchips.
- There is a ramp to the second level of the play element. The slopes are a little steep.
- The Volleyball sand pit is adjacent to the walking trails.
- There is a ramp that provides access into the lake.
- There are men's and women's restrooms available.
- There is a Gazebo with picnic table seating available.
- The Boardwalk has bench seating available.

Performing Arts

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Dog Story Theatre

7 Jefferson Ave. SE, Grand Rapids, MI 49503

(616) 425-9234

Parking Options

Parking Metered on-street parking options may be found along Jefferson Avenue.

Getting Around the Venue

- One of the two single-user style restrooms is accessible.
- The door to the designated accessible restroom has a doorknob style handle.
- The interior paths are wide and level.
- The venue is very quiet and well lit.
- There is chair and bench seating available in the Lobby.
- There are no lowered countertops at the Refreshment Booth or the Ticket Kiosk.
- The Auditorium has tiered chair seating.
- The accessible seating options are in the front row on the first level.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Grand Rapids Ballet

341 Ellsworth Ave. SW, Grand Rapids, MI 49503

(616) 454-4771

Parking Options

Grand Rapids Ballet Parking Lot at 341 Ellsworth Avenue SW. — 0.0 miles from the venue.

Getting Around the Venue

- The main entrance has push-button activated powered doors, and is flush with the sidewalk.
- There are several Men's and Women's multi-user style restrooms available with accessible stalls.
- The restrooms have push-button activated powered doors.
- There is an elevator near the theatre.
- The halls and paths through the venue are wide and level.
- The interior is well lit.
- The auditorium has seating that may be removed to create accessible seating spaces.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Grand Rapids Civic Theatre

30 N. Division, Grand Rapids, MI 49503

(616) 222-6650

Parking Options

Grand Rapids Community College Parking Ramp at 140 Bostwick Avenue NE. — 0.2 miles from the venue.

Getting Around the Venue

- There is an accessible passenger loading zone by the main entrance. This loading zone is flush with the sidewalk.
- There are Men's and Women's multi-user style restrooms available with accessible stalls.
- There is an elevator that leads to all levels.
- There is a balcony in the Lobby that may be accessed by stairs only.
- The interior halls are wide and level.
- The venue is quiet and well lit.
- The auditorium has accessible seating.
- Additional accessible seating may be created by removing seating to create clear floor spaces.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Grand Rapids Community College Spectrum Theater

160 Fountain St NE, Grand Rapids, MI 49503

(616) 234-3946

Parking Options

Grand Rapids Community College DeVos Campus Ramp at 432 Fountain Street NE (The route from this parking ramp to the venue has a significant slope up a long hill). — 0.8 miles from the venue.

Getting Around the Venue

- The Fountain Street Lobby entrance has a ramp that leads up from the sidewalk.
- There is a level landing at the top of the ramp run. The landing at the bottom of the ramp is uneven and slopes down the hill along Fountain Street.
- The entrance has a powered door with a push button.
- The Student entrance has a manual door with a door closer. The entrance is flush with the sidewalk.
- There are Men's and Women's multi-user style restrooms present. These restrooms have at least one large accessible stall present.
- The routes through the Lobby are wide and level.
- There is a ramp that leads up to the auditorium.
- There is an elevator present in the Student entrance Lobby that provides access to the second and first floors.

- The venue is quiet and well lit.
- There is bench seating available in the Fountain Street Lobby.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

The Intersection

133 Grandville Ave. SW, Grand Rapids, MI 49503

(616) 890-0226

Parking Options

The Ellis Parking Lot at 53 Grandville Avenue SW. — 0.1 miles from the venue.

Getting Around the Venue

- There are two entrances. There are ramps to these entrances.
- There are Men's and Women's multi-user style Restroom available with accessible stalls.
- The venue has two levels.
- There are several ramps that provide access to the different levels. These ramps may be steep. The ramps have handrails. There are ramps that provide access to both stages.
- The venue is a performance hall and noise levels may be pronounced during events.
- The venue is well lit.
- There is chair and table, and booth seating available.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Opera Grand Rapids

1320 E. Fulton, Grand Rapids, MI 49503

(616) 451-2741

Parking Options

Opera Grand Rapids Parking Lot at 1320 Fulton Street E. — 0.00 miles from the venue.

Getting Around the Venue

- There is a ramp that leads from the accessible parking spaces to the rear entrance.
- The main entrance has a very long ramp up from the sidewalk. This ramp has handrails. There are no landings between the top and bottom of the ramp.
- The main entrance has push-button activated powered doors.
- There are Men's and Women's multi-user style Restrooms available with accessible stalls.
- The second floor restroom has a shower equipped with a bench.
- There is an elevator that leads to the second floor.
- The interior halls are wide and level.
- The venue is quiet and well lit.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

St. Cecilia Music Center

24 Ransom Ave. NE, Grand Rapids, MI 49503

(616) 459-2224

Parking Options

Saint Cecelia Music Center Parking Lot at 24 Ransom Avenue NE. — 0.00 miles from the venue.

Getting Around the Venue

- The main entrance along Ransom Avenue has a set of steps. There is an alternative entrance, north of the main entrance, that is flush with the sidewalk. This entrance has powered doors.
- There are Men's and Women's multi-user style restrooms available with accessible stalls in the lower level of the venue.
- The paths through the venue are wide and level.
- There is an elevator available that provides access to the three floors.
- There is also a lift present in the auditorium that provides access to the stage.
- The interior spaces are very well lit.
- Chair and bench seating is available.
- Hearing loop technology is present in the auditorium.
- The public spaces are clearly marked with signage.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

The Pyramid Scheme

68 Commerce SW, Grand Rapids, MI 49503

(616) 272-3758

Parking Options

Cherry — Commerce Ramp at 141 Commerce Avenue SW (the public parking entrance is on Cherry Street). — 0.1 miles from the venue.

Getting Around the Venue

- The Commerce Avenue entrance has a manual door with a door closer.
- The entrance is flush with the sidewalks.
- There are restrooms present.
- There is table, booth and bar counter seating available.
- The individual booths are elevated from the floor on a platform that requires a step up to get seated.
- The table tops are high, and use stools.
- The Dining Room is kept dimly lit.

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

Wealthy Theatre

1130 Wealthy St. SE, Grand Rapids, MI 49506

(616) 459-4788

Parking Options

Wealthy Street Parking Lot at 1130 Wealthy Street SE. — 0.00 miles from the venue.

Getting Around the Venue

- The theatre entrance has a push-button activated powered door.
- The administration wing of the theatre has a stoop and has a non-powered swing door.
- There are Men's and Women's multi-user style Restrooms with accessible stalls available in the administration wing of the theatre.
- There is a wide ramp between the theatre wing and the administration wing. This ramp has handrails.
- The interior halls are wide and level.
- The venue is quiet and well lit.
- The auditorium has 7 designated accessible spaces: 3 of these clear floorspaces are located in the front row, and 4 are located at the back row.

Restaurants

ACCESSIBILITY NAVIGATOR

A SERVICE PROVIDED BY DISABILITY ADVOCATES OF KENT COUNTY

The B.O.B.

20 Monroe Ave. NW, Grand Rapids, MI 49503

(616) 356-2000

Parking Options

Louis — Campau Ramp at 43 Monroe Avenue NW. — 0.05 miles from the venue.

Ottawa — Fulton Ramp at 50 Ottawa Avenue NW. — 0.2 miles from the venue.³

Getting Around the Venue

- The Fulton Street and Monroe Avenue entrances are accessed by ramps. The Fulton Street entrance has a powered door with a push button.
- The B.O.B. venue has four floors. The 1st through 3rd levels are accessed by both a stairway in the 2nd Floor (Street Level) Main Hall, and an elevator in the Monroe Avenue entrance vestibule. The 4th level is only accessed by an elevator in the Monroe Avenue vestibule.
- The First Level — The Brewery:
 - There are Men's and Women's multi-user style restrooms present. These restrooms have at least one accessible stall.
 - The main routes are wide and level. The routes through the seating areas may be narrow where tables are arranged close together, and become difficult to navigate during busy hours.
 - The lighting in the brewery is kept dim.
 - There is table and booth seating available.
- The Second Level — Bobarino's:

- There are Men's and Women's multi-user style restrooms available with accessible stalls.
- The routes are wide and level, though these may narrow where the tables are arranged close together.
- This level is primarily a restaurant, and noise levels may be pronounced during peak hours. The level is open to the first floor, and noise may filter in from either level. This level is well lit. There is chair and table seating, and booth seating available.
- The Third Level — Dr. Grin's Comedy Club:
 - There are Men's and Women's multi-user style restrooms present. These restrooms have at least one accessible stall.
 - The main routes are wide and level. The routes through the seating areas may be narrow where tables are arranged close together, and become difficult to navigate during busy hours.
 - The venue is quiet and well lit.
 - There is table and booth seating available.
- The Fourth Level — Eve Nightclub:
 - There are Men's and Women's multi-user style restrooms present. These restrooms have at least one accessible stall.
 - The nightclub is accessed by a long catwalk that is suspended over the lower floors. The surface of the catwalk is made of tempered glass. The catwalk has no edge protection along the sides of the walkway. The approach at either end of the catwalk is sloped, and may surprise unsuspecting guest with the sudden incline.
 - The lighting in the nightclub is kept dim.
- There is table and booth seating available.